

Declaration of performance: No. 0049-CPR-2023/09/26

- 1) Unique identification code of the product-type *BI MORTAR PLASTER SEAL*
- 2) Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer *Structural and non structural CC repair mortar - Class R3 - Concrete restoration (principle 3), structural strengthening (principle 4) and preserving or restoring passivity (principle 7)*
- 3) Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5) *VOLTECO S.p.A. - Via delle Industrie, 47 - Ponzano Veneto (Italy) www.volteco.com*
- 4) System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in annex V *System 2+ / System 4 for reaction to fire*
- 5) In case of the Declaration of Performance concerning a construction product covered by a harmonised standard *Harmonised standard: UNI EN 1504-3:2006; The Notified Body **Bureau Veritas**, N° 1370, performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued the FPC certificate n° 1370-CPR-1299.*

6) Declared performance:

| Essential characteristics | Performance |
|---|---|
| Reaction to fire | Class A1 |
| Compression strength | Class R3 ≥ 25 MPa |
| Chloride ions content | $\leq 0.05\%$ |
| Adhesive bond | ≥ 1.5 MPa |
| Resistance to carbonation | $dk \leq$ cls rif. (MC 0,45) |
| Modulus of elasticity | ≥ 15 GPa |
| Adhesion following thermal compatibility: | |
| • Part 1: Un/freezing cycles | ≥ 1.5 MPa |
| • Part 2: Thunderstorm cycles (thermal shock) | ≥ 1.5 MPa |
| • Part 4 Dry cycles | ≥ 1.5 MPa |
| Skid resistance | Dry: class II Wet: class III |
| Capillary absorption | $\leq 0.5 \text{ kg} \cdot \text{m}^{-2} \cdot \text{h}^{-0.5}$ |
| Hindered shrinkage/expansion | Not relevant |
| Coefficient of thermal expansion | Not relevant |
| Hazardous substances | See SDS |


7) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

VOLTECO S.p.A.

Via delle Industrie, 47 - 31050 Ponzano Veneto (TV) Italy
Tel. +3904229663 - Fax +390422966401
volteco@volteco.it - www.volteco.it

Signed for and on behalf of the manufacturer by Marco Ruzzier Laboratory Manager

(name and function)



Ponzano Veneto, 2023/09/26 -----

Rev. 0.0 2023/09/26

