Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 1 / 11 Replaced revision:2 (Dated 06/05/2024)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Code. BFA Product name **BI FIX COMPONENT A** UFI : 2C00-Y05W-H00Y-9ACA 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Two-component injection system for creating anchors on building materials 1.3. Details of the supplier of the safety data sheet Name **VOLTECO S.p.A** Full address via delle industrie 47 District and Country 31050 Ponzano Veneto (TV) Italia 04229663 Tel. e-mail address of the competent person responsible for the Safety Data Sheet volteco@volteco.it 1.4. Emergency telephone number +39 06 68593726 (CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e For urgent inquiries refer to Accettazione DEA - Roma - 00165) +39 800183459 (Az. Osp. Univ. Foggia - Foggia - 71222) +39 081 7472870 (Az. Osp. "A. Cardarelli" - Napoli - 80131) +39 06 49978000 (CAV Policlinico "Umberto I" - Roma - 161) +39 06 3054343 (CAV Policlinico "A. Gemelli" - Roma - 168) +39 055 7947819 (Az. Osp. "Careggi" U.O. Tossicologia Medica - Firenze - 50134) +39 0382 24444 (CAV Centro Nazionale di Informazione Tossicologica - Pavia -27100) +39 02 66101029 (Osp. Niguarda Ca' Granda - Milano - 20162) +39 800883300 (Azienda Ospedaliera Papa Giovanni XXII - Bergamo - 24127)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

e respiratory irritation.
e an allergic skin reaction.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 2 / 11 Replaced revision:2 (Dated 06/05/2024)

SECTION 2. Hazards identification ... / >>

Warning

Hazard statements: H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
Precautionary statements:	
P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P302+P352	IN CASE OF CONTACT WITH SKIN: wash thoroughly with soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.
P501	Dispose of the product / container in accordance with current legislation.
Contains:	ethylene dimethacrylate Methacrylic acid, monoester with propane-1,2-diol

2.3. Other hazards

Signal words:

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
ethylene dim	ethacrylate		
INDEX	607-114-00-5	10 ≤ x < 20	STOT SE 3 H335, Skin Sens. 1 H317, Aquatic Chronic 3 H412, Classification note according to Annex VI to the CLP Regulation: D
EC	202-617-2		STOT SE 3 H335: ≥ 10%
CAS	97-90-5		
REACH Reg.	01-2119965172-38		
Methacrylic a	icid, monoester with	n propane-1,2-diol	
INDEX	-	5≤x< 9	Eye Irrit. 2 H319, Skin Sens. 1 H317
EC	248-666-3		
CAS	27813-02-1		
1,1'-(p-tolylim	nino)dipropan-2-ol		
INDEX	-	0,5 ≤ x < 0,7	Acute Tox. 2 H300, Eye Irrit. 2 H319, Aquatic Chronic 3 H412
EC	254-075-1		LD50 Oral: >25 mg/kg
CAS	38668-48-3		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Quartz (SiO2) - CAS 14808-60-7 - C%: > = 50 - < 80:

The quartz contained in the product is classified as non-hazardous.

Furthermore, being bound to the other liquid/paste components of the mixture, it is not freely available during use. The final product has a pasty consistency and the exposure limits for inhalable dust are not relevant.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 3 / 11 Replaced revision:2 (Dated 06/05/2024)

SECTION 4. First aid measures ... / >>

medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 4 / 11 Replaced revision:2 (Dated 06/05/2024)

SECTION 6. Accidental release measures/>>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Predicted no-effect concentration - PNEC 0,9 mg/l Normal value in fresh water 0,9 mg/l Normal value in marine water 0,9 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for water, intermittent release 0,97 mg/l Normal value for othe terrestrial compartment 0,72 mg/kg/d Normal value for drue for the terrestrial compartment 0,72 mg/kg/d Route of exposure Acute Chronic Chronic Acute Chronic Inhalation 8,8 mg/m3 mg/m3 mg/kg mg/kg Skin 2,5 mg/kg bw/d mg/kg bw/d Predicted no-effect concentration - PNEC 0,017 mg/kg Normal value in fresh water 0,017 mg/kg/d Normal value in fresh water 0,163 mg/kg/d Normal value for the strest ediment 0,163 mg/kg/d		4 41		rylic acid, mon	oester with pro	pane-1,2-diol			
Normal value in marine water 0,9 mg/l Normal value for fresh water sediment 6,28 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for water, intermittent release 0,97 mg/l Normal value for water, intermittent release 0,97 mg/l Normal value for water, intermittent release 0,97 mg/kg/d Normal value for the terrestrial compartment 0,72 mg/kg/d Normal value for the terrestrial compartment 0,72 mg/kg/d Route of exposure Acute Acute Chronic Acute local Acute Chronic Oral systemic local systemic systemic systemic systemic Oral 2,5 mg/kg bw/d mg/m3 mg/m3 mg/m3 mg/m3 Inhalation 8,8 14,7 mg/m3 mg/m3 bw/d Verdeted no-effect concentration - PNEC mg/kg bw/d mg/kg mg/kg Normal value in fresh water 0,017 mg/l Normal value for fresh water sediment 0,163 </td <td></td> <td></td> <td>- PNEC</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			- PNEC						
Normal value for fresh water sediment 6,28 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for marine water sediment 6,28 mg/kg/d Normal value for marine water sediment 0,97 mg/l Normal value of STP microorganisms 10 mg/l Normal value of or the terrestrial compartment 0,72 mg/kg/d Normal value of exposure Acute Other to the terrestrial compartment 0,72 mg/kg/d Iselfiet. DNEL Effects on consumers Effects on workers Chronic Chronic Chronic Chronic Chronic Chronic Chronic Systemic local systemic systemic </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>,</td> <td>0</td> <td></td>							,	0	
Normal value for marine water sediment 6,28 mg/kg/d Normal value for water, intermittent release 0,97 mg/l Normal value for water, intermittent release 0,97 mg/l Normal value for water, intermittent release 0,97 mg/kg/d Normal value for the terrestrial compartment 0,72 mg/kg/d Normal value for the terrestrial compartment 0,72 mg/kg/d Idealth - Derived no effect level - DNEL / DMEL Effects on workers Effects on workers Effects on workers Route of exposure Acute Acute Chronic Chronic Acute local systemic local systemic Oral local systemic local systemic local systemic mg/m3 Skin 8,8							- / -	U	
Normal value for water, intermittent release 0,97 mg/l Normal value of STP microorganisms 10 mg/l Normal value of STP microorganisms 0,72 mg/kg/d Normal value of the terrestrial compartment 0,72 mg/kg/d leath - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Effects on consumers Effects on workers Chronic Acute Chronic Chronic local systemic local systemic local systemic local systemic Oral 2,5 mg/kg bw/d mg/m3 mg/m3 mg/kg mg/m3 Skin 2,5							,		
Normal value of STP microorganisms 10 mg/l Normal value for the terrestrial compartment 0,72 mg/kg/d Normal value for the terrestrial compartment 0,72 mg/kg/d International value for the terrestrial compartment 0,72 mg/kg/d Route of exposure Acute Ohronic Chronic Acute local Acute Chronic Chronic Inhalation 2,5 mg/m3 mg/m3 14,7 mg/m3 Skin 2,5 mg/kg bw/d mg/m3 14,2 mg/m3 Skin 2,5 mg/kg bw/d mg/kg bw/d bw/d Inhalation 8,8 mg/kg bw/d mg/m3 Skin 2,5 4,2 mg/kg bw/d bw/d Stin 0,017 mg/kg Mg/kg bw/d Mg/kg/d Normal value in fresh water 0,017 mg/l Normal value in marine water sediment 0,163 mg/kg/d 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d 0,163 mg/kg/d Normal value f							,		
Normal value for the terrestrial compartment 0,72 mg/kg/d lealth - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Effects on workers Route of exposure Acute Acute Chronic Chronic Acute Chronic Chronic India systemic local systemic systemic systemic local systemic systemic local systemic local systemic local systemic local systemic systemic local systemic		,					,	0	
Iteration - effect level - DNEL / DMEL Effects on consumers Effects on workers Route of exposure Acute Acute Chronic Chronic Acute local Acute Chronic Chronic Iocal systemic local systemic systemic systemic local systemic Oral 2,5 mg/kg bw/d intal mg/m3 intal,7 mg/m3 Skin 2,5 mg/kg bw/d intal,7 mg/kg mg/kg bw/d Inthalation 8,8 14,7 Skin 2,5 ing/kg bw/d mg/kg Vertex mg/kg bw/d mg/kg bw/d Skin 2,5 ing/kg mg/kg Vertex ing/kg bw/d mg/kg bw/d Stain 0,017 mg/kg mg/kg Normal value in fresh water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for marine water, intermittent release 0,1		•							
Effects on consumers Effects on workers Route of exposure Acute Acute Chronic Chronic Acute local Acute Chronic Chronic Iocal systemic local systemic systemic local systemic local systemic Oral 2,5 mg/kg bw/d mg/kg bw/d item mg/m3 item mg/m3 mg/m3 Skin 2,5 sg.8 item mg/m3 mg/kg bw/d mg/kg bw/d mg/kg bw/d mg/kg bw/d Skin 1,1'-(p-tolyllimino)dipropan-2-ol 4,2 mg/kg bw/d mg/kg bw/d bw/d redicted no-effect concentration - PNEC 1,1'-(p-tolyllimino)dipropan-2-ol mg/kg bw/d mg/kg bw/d bw/d Normal value in fresh water 0,017 mg/l mg/l mg/kg bw/d mg/kg bw/d Normal value for fresh water sediment 0,163 mg/kg/d item mg/kg bw/d item mg/kg bw/d <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>0,72</td><td>mg/kg/d</td><td></td></t<>							0,72	mg/kg/d	
Route of exposure localAcute systemicAcute localAcute 	lealth - Derived no-eff								
local systemic local systemic systemic local systemic Oral 2,5 mg/kg bw/d									
Oral 2,5 mg/kg bw/d 14,7 mg/m3 Inhalation 8,8 mg/m3 14,7 mg/m3 Skin 2,5 mg/kg bw/d 4,2 mg/kg bw/d Image: Skin 1,1'-(p-tolylimino)dipropan-2-ol Predicted no-effect concentration - PNEC Image: Skin Normal value in fresh water Normal value in fresh water 0,017 Normal value in marine water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l	Route of exposure					Acute local			
inhalation 8,8 14,7 ing/m3 mg/m3 mg/m3 Skin 2,5 4,2 mg/kg bw/d mg/kg bw/d mg/kg stand 2,5 mg/kg bw/d mg/kg bw/d stand 0,017 mg/l Normal value in fresh water 0,017 mg/kg/d Normal value for fresh water sediment 0,017 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,17 mg/l Normal value for star, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l		local	systemic	local			systemic	local	systemic
mg/m3 mg/m3 Skin 2,5 4,2 mg/kg bw/d mg/kg bw/d bw/d Terdicted no-effect concentration - PNEC Predicted no-effect concentration - PNEC Normal value in fresh water 0,017 mg/kg Normal value in fresh water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/kg/d Normal value of STP microorganisms 0,199 mg/l	Oral				,				
Skin 2,5 mg/kg bw/d 4,2 mg/kg mg/kg bw/d mg/kg bw/d bw/d Tredicted no-effect concentration - PNEC Normal value in fresh water 0,017 mg/l Normal value in fresh water 0,017 mg/kg/d Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l	Inhalation				8,8				14,7
mg/kg bw/d mg/kg bw/d bw/d bw/d bw/d bredicted no-effect concentration - PNEC Predicted no-effect concentration - PNEC Normal value in fresh water 0,017 Normal value in fresh water 0,017 Normal value for fresh water sediment 0,163 Normal value for marine water sediment 0,163 Normal value for water, intermittent release 0,17 Normal value of STP microorganisms 0,199					mg/m3				mg/m3
I,1'-(p-tolylimino)dipropan-2-ol bw/d Predicted no-effect concentration - PNEC 0,017 mg/l Normal value in fresh water 0,017 mg/l Normal value in marine water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l	Skin				2,5				4,2
1,1'-(p-tolylimino)dipropan-2-ol Predicted no-effect concentration - PNEC Normal value in fresh water 0,017 mg/l Normal value in marine water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l					mg/kg bw/d				mg/kg
Predicted no-effect concentration - PNEC Normal value in fresh water 0,017 mg/l Normal value in marine water 0,017 mg/l Normal value for fresh water sediment 0,163 mg/kg/d Normal value for marine water sediment 0,163 mg/kg/d Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l									bw/d
Normal value in fresh water0,017mg/lNormal value in marine water0,017mg/lNormal value for fresh water sediment0,163mg/kg/dNormal value for marine water sediment0,163mg/kg/dNormal value for water, intermittent release0,17mg/lNormal value of STP microorganisms0,199mg/l	Predicted no effect cor	contration		1,1'-(p-tolylir	nino)dipropan-	2-ol			
Normal value in marine water0,017mg/lNormal value for fresh water sediment0,163mg/kg/dNormal value for marine water sediment0,163mg/kg/dNormal value for water, intermittent release0,17mg/lNormal value of STP microorganisms0,199mg/l			-1 1120				0.017	ma/l	
Normal value for fresh water sediment0,163mg/kg/dNormal value for marine water sediment0,163mg/kg/dNormal value for water, intermittent release0,17mg/lNormal value of STP microorganisms0,199mg/l							,	•	
Normal value for marine water sediment0,163mg/kg/dNormal value for water, intermittent release0,17mg/lNormal value of STP microorganisms0,199mg/l			mont				-) -	•	
Normal value for water, intermittent release 0,17 mg/l Normal value of STP microorganisms 0,199 mg/l							,		
Normal value of STP microorganisms 0,199 mg/l							,	0 0	
		,					,		
		•					,	-	

Health - Derived no-effect level - DNEL / DMEI

Health - Derived no-ene	nealth - Denveu no-enect level - DNEL / DNEL								
	Effects or	n consumers			Effects on wor	kers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic	
	local	systemic	local	systemic		systemic	local	systemic	
Inhalation								2,47	
								mg/m3	
Skin								0,7	

Skin

mg/kg bw/d

ΕN

SECTION 8. Exposure controls/personal protection/>>

ethylene dimethacrylate

			ethylene	unnethaciyiate	,			
Predicted no-effect con	ncentration	- PNEC						
Normal value in fresh	n water					0,139	mg/l	
Normal value in mari	ne water					0,014	mg/l	
Normal value for fres	h water sedi	ment				1,6	mg/kg/d	
Normal value for mar	rine water se	ediment				0,16	mg/kg/d	
Normal value for wate	er, intermitte	ent release				0,15	mg/l	
Normal value of STP	microorgan	isms				57	mg/l	
Normal value for the	terrestrial co	ompartment				0,239	mg/kg/d	
Health - Derived no-eff	ect level - D	NEL / DMEL						
	Effects or	n consumers			Effects on work	kers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	local	systemic	local	systemic		systemic	local	systemic
Oral				0,83				
				mg/kg bw/d				
Inhalation				1,45				2,45
				mg/m3				mg/m3
Skin				0,83				1,3
				mg/kg bw/d				mg/kg
								bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

The quartz contained in the product is classified as non-hazardous. Furthermore, being bound to the other liquid/paste components of the mixture, it is not freely available during use. The final product has a pasty consistency and the exposure limits for inhalable dust are not relevant.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Protect your hands with gloves of the following type:

Material: guanti antifiamma (EN 659)

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties
Appearance
Colour
Odour
Melting point / freezing point
Initial boiling point

Value paste cream characteristic not available Information

SECTION 9. Physical and chemical properties .../>>

Flammability Lower explosive limit	
Upper explosive limit Flash point	~
Auto-ignition temperature	-
Decomposition temperature	
pH	
Kinematic viscosity	
Solubility	
Partition coefficient: n-octanol/water	
Vapour pressure	
Density and/or relative density	
Relative vapour density	
Particle characteristics	

not available not available not available 60 °C not available not available not available not available insoluble in water not available not available 1,6 - 1,8 kg/l not available not applicable

not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 6 / 11 Replaced revision:2 (Dated 06/05/2024) ΕN

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 7 / 11 Replaced revision:2 (Dated 06/05/2024) ΕN

SECTION 11. Toxicological information ... / >>

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) >2000 mg/kg Not classified (no significant component)

Methacrylic acid, monoester with propane-1,2-diol LD50 (Dermal): LD50 (Oral):

1,1'-(p-tolylimino)dipropan-2-ol LD50 (Dermal): LD50 (Oral): > 2000 mg/kg Rat > 25 mg/kg Rat

> 2000 mg/kg Rat

> 5000 mg/kg Rabbit

ethylene dimethacrylate LD50 (Dermal): LD50 (Oral):

> 2000 mg/kg Rat > 8700 mg/kg Rat

ATE (Inhalation) of the mixture: Not classified (no relevant component) ATE (Oral) of the mixture: > 2000 mg/kg ATE (Dermal) of the mixture: Not classified (no relevant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 8 / 11 Replaced revision:2 (Dated 06/05/2024)

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Methacrylic acid, monoester with propane-1,2-diol LC50 - for Fish EC50 - for Crustacea	> 493 mg/l/96h > 143 mg/l/48h
1,1'-(p-tolylimino)dipropan-2-ol LC50 - for Fish	> 17 mg/l/96h
EC50 - for Crustacea	> 28 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 245 mg/l/72h
EC10 for Algae / Aquatic Plants	> 57,8 mg/l/72h
ethylene dimethacrylate	
LC50 - for Fish	> 15,95 mg/l/96h
EC50 - for Crustacea	> 44,9 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 17,3 mg/l/72h
Chronic NOEC for Crustacea	> 7,22 mg/l
Chronic NOEC for Algae / Aquatic Plants	> 6,93 mg/l

12.2. Persistence and degradability

1,1'-(p-tolylimino)dipropan-2-ol Entirely degradable

Methacrylic acid, monoester with propane-1,2-diol Rapidly degradable

ethylene dimethacrylate Rapidly degradable

12.3. Bioaccumulative potential

1,1'-(p-tolylimino)dipropan-2-ol Partition coefficient: n-octanol/water	2,1 Log Kow
ethylene dimethacrylate Partition coefficient: n-octanol/water	2,4 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 9 / 11 Replaced revision:2 (Dated 06/05/2024) ΕN

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category -	Directive 2012/18/EU:	None
Restrictions relating	to the product or contained	substances pursuant to Annex XVII to EC Regulation 1907/2006
Product		
Point	3	
Contained substar	nce	
Point	75	Methacrylic acid, monoester with propane-1,2-diol
Point	75	ethylene dimethacrylate
		REACH Reg.: 01-2119965172-38

 $\frac{Regulation (EU) \ 2019/1148 \ \text{- on the marketing and use of explosives precursors}}{not \ applicable}$

<u>Substances in Candidate List (Art. 59 REACH)</u> On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 10 / 11 Replaced revision:2 (Dated 06/05/2024) ΕN

SECTION 15. Regulatory information ... / >>

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Eye Irrit. 2	Eye irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H300	Fatal if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H347	May cause an allernic skin reaction
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile - WGK: Water hazard classes (German).

Revision nr.3 Dated 08/05/2024 Printed on 08/05/2024 Page n. 11 / 11 Replaced revision:2 (Dated 06/05/2024) ΕN

SECTION 16. Other information ... / >>

- GENERAL BIBLIOGRAPHY
- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 02 / 04 / 11.